

# Index

- 'quantum' display, 507
- 3D TV, 186, 606
- 3D TV, future, 811
- 3D cinema, 606
- 3D media encoding, 690
  - , 400
- A/D conversion, 345
- aberration, 131
- absolute optical systems, 130
- absorption, 118
- accommodation, 159
- accommodation, active steering by-,
  - 748
- accommodation, near-eye displays,
  - 744
- accommodation, 192
- acoustic pulse recognition, 389
- active cross-talk reduction, 614
- active matrix displays, 375
- active shuttering, 630
- active stereo, 15
- active stereo-channel separation, 613
- adaptive de-interlacing, 362
- adaptive holographic display, 680
- adaptive light field displays, 662
- additive color mixing, 331
- aliasing, 353
- ALIS, 461
- alternate lighting of surfaces, 461
- amplitude gratings, 279

## *Index*

---

- amplitude hologram, 224  
amplitude holograms, 279  
anaglyph rendering, 859  
anaglyph stereo, 14  
anaglyph stereo-channel separation,  
    615  
anaglyphs, 14  
analog-to-digital conversion, 345  
anamorphic, 305  
anamorphic pictures, 305  
angle to position converter, 653  
angular density, 56, 58  
angular range, 56, 322  
angular resolution, 303  
angular response, 251, 323  
anti-aliasing, 353, 833  
anti-reflective coating, 384  
aperture, 142  
aperture plane, 143  
AR, 15, 705  
arc lamps, 49  
aremac, 793  
aspect ratio, 486  
aspheric, 137  
aspheric lenses, 137  
ATI Stream, 841  
Augmented Reality, 15  
augmented reality, 705, 719  
auto holographic display, 680  
auto-iris projector, 570  
autostereoscopic displays, 16, 17, 633  
autostereoscopy, 16  
AVC, 361  
back focal plane, 139  
back focal point, 139  
backlighting, 383  
banding, 351  
bands, 367  
barrel distortion, 866  
barrier, 634  
barrier displays, 634  
barrier pitch, 635  
BCI, 814  
beam combiner, 758  
beam deflection, 510, 515  
beam diverter, 259

Index

- beam splitter, 259
  - beat, 112
  - Bell experiment, 77
  - benable electronics, 398
  - Bessel filters, 343
  - bi-directional displays, 476, 783
  - bi-directional touch screens, 392
  - bi-stable LCD, 423
  - BIEP, 532
  - binary Fraunhofer holograms, 221
  - binary image exposure sequence, 532
  - binocular field, 187
  - birefringence, 96
  - black level, 318
  - bleaching, 225
  - blurring effect, 195
  - Bohr atomic model, 68
  - Bohr radius, 69
  - Boltzmann, 34, 86
  - Bragg condition, 279
  - Bragg diffraction, 278
  - Bragg grating, 228
  - Bragg's law, 234
  - Bragg's law - color dependency, 235
  - brain implant, 821
  - brain-computer interface (BCI), 814
  - Braun tube, 9
  - bremsstrahlung, 43
  - Brewster's angle, 124
  - brightness, 317
  - brightness range, 162
  - brightness, near-eye displays, 711
  - burn-in effect, 463
  - burst, 335
  - burst signal, 335
  - C for Graphics, 838
  - calcspur, 96
  - calibration, 668
  - capacitive touch panel, 395
  - carbon nanotubes, 401
  - cathode ray tube, 9
  - cathode ray tubes, 450
  - CAVE, 628
  - Cave Automatic Virtual Environment, 628
  - Cq, 838, 839

Index

- CGH, 672
  - chemo luminescence, 52
  - chiral nematic, 423
  - cholesteric LC, 412, 423
  - chromatic aberrations, 137
  - chromaticity diagram, 174
  - CIE, 170
    - CIE chromaticity diagram., 174
    - CIE color matching functions, 172
    - CIE UCS, 176
    - CIE Uniform Color Space, 176
    - circular polarization, 95, 621
    - CMOS, 377
    - co-axial projector-camera system, 546,
      - 567
    - coded aperture projection, 570
    - coded apertures, 570
    - coherence, 105, 239
    - coherent light, 105, 271
    - cold cathode tubes, 470
    - cold light mirror, 483
    - collimated display, 248, 505, 729
    - collimated near-eye displays, 729
  - color anaglyphs, 617
  - color as depth cue, 196
  - color bar, 340
  - color dispersion, 122, 227
  - color filters, 336
  - color gamut, 327
  - color look-up tables, 865
  - color matching functions, 172
  - color mixing, 540
    - color mixing matrix, 540
    - color perception, 169
    - color recording, 178
    - color space conversion, 862
    - color temperature, 41
    - color transformations, 173
    - color wheel, 495
    - colorimetry, 168
    - comb filtering, 355
    - combiner mirror, 758
    - computed holograms, 672
    - computer generated holograms, 595
    - computer-generated holograms, 672
    - concave mirror, 133

## *Index*

---

- concave parabolic mirror, 134, 135      CRT, 9, 450  
concentric mirrors, 741      CRT projector, 490  
condenser, 480      CUDA, 826, 840  
cones, 159      curved parallel lens, 142  
conjugate beam, 272      cylinder lens array, 663  
connection, 372      D-ILA, 422  
contact lens display, 765      D/A conversion, 350  
contrast, 554      DCT, 358  
contrast (displays), 318      de Broglie wavelength, 69  
contrast (perception), 162      de-interlacing, 361  
contrast ratio, 579      de-noising, 357  
convergence, 187, 190      deconvolution, 569  
converging lens, 139      deep brain stimulation, 822  
convex mirror, 133      deflection, 456, 515  
convex parabolic mirror, 135      Denisyuk holograms, 280  
convolution, 868      dependent texture lookups, 855  
convolution filter, 356      depth cues , 188  
cortex, 821      depth of field, 142, 151, 671  
cortex, brain, 821      depth of field, projector-camera sys-  
cortically based artificial vision, 822      tems, 567  
critical angle, 128      depth of focus, 142, 151  
cross-correlation, 84      depth perception, 185  
cross-talk, 614      depth perception, stereoscopic dis-

## *Index*

---

- plays, 599  
depth queues, 272  
dichroic combiners, 497  
dichroic mirror, 759  
diffraction, 103  
diffraction based holography, 662  
diffraction grating, 104, 271  
diffraction modes, 220  
diffraction orders, 220  
diffraction specific holography, 677  
diffuse and bright (DAB) screens, 623  
DigiLens, 443  
digital holograms, 292  
digital light processing, 12, 494  
digital micro mirror device, 12  
digital television, 11  
digital volumetric holograms, 296  
digital-to-analog conversion, 350  
diplopia, 186  
dipvergence, 604  
Dirac pulse, 346  
Dirac pulse series, 346  
DirectX, 838  
DirectX Compute Shaders, 841  
discrete cosine transform, 358  
disparity, 186, 190  
disparity gradient, 192  
disparity mapping, 602  
disparity range, 191  
dispersion, 122  
dispersive signal technology, 390  
display gamut, 176, 327  
display holograms, 270  
display, DLP, 427  
display, DMD, 427  
displays, electrochromic, 438  
displays, F-LCOS, 421  
displays, FLC, 417  
displays, GLV, 436  
displays, laser, 509  
displays, LCD, 410  
displays, LCOS, 420  
displays, LED, 464  
displays, OLED, 465  
displays, performance, 517  
displays, plasma, 460

## *Index*

---

- displays, polymer, 438  
displays, TMOS, 417  
displays, transflective, 445  
displays, transparent OLED, 468  
disposable displays, future, 810  
distributed Bragg reflector, 233  
divergence, 187  
diverging lens, 141  
DivX, 361  
DLP, 12, 427  
DLP projector, 494  
DMD, 12, 427, 777  
DMD driving, 430  
doping, 367  
Doppler effect, 48  
double modulation, 473, 554  
double slit experiment, 72  
double vision, 186  
dual modulation, 473  
duality hypothesis, 73  
durability, 65  
dyed guest host displays, 418  
dynamic image liearization, 787  
dynamic range, 579  
dynamic range (displays), 318  
dynamic range (perception), 162  
E-ink, 438  
E-paper, future, 810  
earth temperature, 38  
effective aperture, 482  
eidophor projector , 495  
Einstein, 36  
EL displays, 463  
elastic light scattering, 119  
elastic scattering, 119  
electro luminescence, 50, 53  
electrofluidic, 441  
electroluminescence displays, 463  
electromagnetic field equations, 26  
electromagnetic radiation, 26  
electromagnetic waves, 26  
electromechanical television, 8  
electron excitation, 46  
electronic paper, 12, 444  
electronic television, 10  
electrophoretic, 12

## *Index*

---

- electrovibration, 397  
electrowetting, 440  
elliptic polarization, 95  
embedded imperceptible pattern projection, 532  
embossed hologram, 227  
embossed holograms, 276  
emissive displays, 339, 449  
emissive projector, 479  
emissive projectors, 490  
energy level transition, 46  
entrance pupil, 144  
epiretinal implants, 818  
excitation, 46  
excitation (electron), 47  
exit pupil, 144, 728  
exit pupil (laser scanners), 738  
exit pupil, optical see-through, 728  
eye, 159  
eye resolution, 166  
eye resolution curve, 741  
eye tracker, 709  
eye tracking, 771, 774  
eye, neuro-physiological data, 181  
eye-tracking, 640  
eyetap, 792  
F-LCOS, 421  
far-field laser projectors, 511  
far-field scanner, 510  
fata morgana, 126  
FBO, 851  
FED, 458  
Fermat's principle, 130  
ferroelectric LC, 417  
field emission displays, 458  
field of view, 709  
fill factor, 354  
film projection, 204  
FireStream, 837  
first reflection theorem, 128  
first refraction theorem, 127  
fixed point (of a function), 347  
flashing backlight displays, 416  
FLC, 417  
flexible displays, 398  
flexible electronics, 398

## *Index*

---

- flicker fusion rate, 161  
flicker fusion threshold, 613  
fluorescence, 50  
fluorescent lamps, 52  
focal distance, 133  
focal length, 133  
focal point, 133  
focus effects, 195  
focus range, 192  
focus, near-eye displays, 744  
force detection, 389  
force sensors, 389  
formats, computer display, 306  
formats, TV, 310  
Fourier hologram, 677, 678  
Fourier holographic projector, 498  
Fourier transform, 83  
Fourier transform (of Dirac series),  
    349  
fovea, 163  
fragment shader, 834  
fragment shading, 859, 862, 866, 868  
fragments, 832  
frame buffer object, 851  
frame-locking, 629  
Fraunhofer holograms, 221  
Fresnel equations, 123  
Fresnel lens, 147  
fringe pattern, 271  
fringe patterns, 210  
fringelet, 678  
front focal plane, 139  
front focal point, 139  
full frame, 364  
full parallax, 637  
full parallax (FP) stereogram, 293  
Gabor, 207  
gamma, 320  
gamma compression, 320  
gamma expansion, 320  
gamut, 176  
gas discharge, 48  
Gaussian beam, 114  
Gaussian filter, 868  
gen-locking, 629  
general purpose computations, 840

## *Index*

---

- general purpose GPU, 837  
general purpose programming languages, 840  
Genoa, 329  
geometric aberrations, 137  
geometric optics, 117  
geometric projector-camera registration, 524  
geometric registration, 524  
geometric registration, projector-camera systems, 524  
geometric scattering, 119  
geometry pattern, 340  
geometry shader, 834  
geometry shading, 857  
ghost objects, 748  
ghosting, 614  
GLSL, 826, 835, 838  
GLV projector, 494  
GPGPU, 837, 840  
GPU, 826  
graphics hardware units, 826  
grating deflection mirror, 751  
grating equation, 220  
grating light valve, 436  
grating light valve projector, 494  
gray anaglyphs, 616  
greenhouse effect, 39  
Gyricon, 12  
h.264, 361  
H.264 coding, 694  
half frame, 364  
half-color anaglyphs, 617  
haze, 196  
HDR, 471, 579  
HDTV, 310  
head tilting, 598  
head-tracking, 627, 640  
headup displays, 246  
Heisenberg, 79  
HID lamps, 487  
high dynamic range, 579  
high dynamic range displays, 470  
High Level Shading Language, 838  
high speed projector-camera systems, 585

## *Index*

---

- high speed, projector-camera systems, 585
- high-intensity discharge lamps, 487
- hight dynamic range, projectors, 579
- histogram calculations, 857
- HLSL, 838
- HOE, 246
- HOE characteristics, 251
- HOE constructions, 248
- HOE lenses, 254
- HOE, switched, 443
- hogel, 678
- hologram decoding, 697
- hologram efficiency, 237
- hologram photography, 214
- hologram resolution, 238
- hologram synthesis, 672, 673
- holographic combiners, 761
- holographic encoding, 695
- holographic filming, 594
- holographic image formation, 274
- holographic laser projectors, 499
- holographic optical elements, 246
- holographic optics, near-eye displays, 755
- holographic printers, 294
- holographic projection screen, 260
- holographic projection screens, 623
- holographic scanners, 751
- holographic scene encoding, 695
- holographic stereograms, 292, 595
- holographic stereograms, 633
- homography, 525
- homography matrix, 525, 853
- homography transformation, 853
- homography warping, 853
- horizontal parallax only, 635
- horizontal parallax only (HPO), 282
- horizontal parallax only (HPO) stereogram, 293
- horizontal-parallax-only, 663
- horopter, 188
- horseshoe diagram, 175
- hot spot, 502
- Hough transform, 775
- HPO, 635, 663

## *Index*

---

- HSV color space conversion, 862  
HUD, 246  
human eye, 159  
human visual field, 187  
hyper elasticity, 429  
illumination path, 481  
illumination path offset, 487  
illumination rays, 481  
image array encoding, 692  
image beam, 272  
image compensation, 772  
image compression, 358  
image undistortion, 866  
image-based rendering, 659  
image-space telecentric, 145  
imaging path, 482  
imaging rays, 482  
immediate mode, 828  
iMOD display, 441  
imperceptible patterns, 532  
impulse scatter function, 557  
index color CRT, 454  
index modulation, 442  
inductive touch panels, 397  
inelastic light scattering, 119  
inelastic scattering, 119  
information theory, 79  
inlay images, 741  
integral images, 293  
integral photography, 16  
integrator rod, 485  
interference pattern, 104  
interference patterns, 216, 270  
interferometric modulator display, 441  
interlacing, 307  
International Commission on Illumination, 170  
interocular distance, 186, 190  
interreflection cancellation operator, 557  
interreflection compensation, 855  
interreflections ,projector-camera systems, 556  
inverse light transport, projector-camera systems, 561  
inverse pulldown, 365

Index

- iris, 159
  - iris aperture, 143
  - ITO, 393
  - JND, 165
  - JPEG, 361
  - just noticeable difference, 165
  - keyhole hologram, 269
  - Kirchhoff, 32
  - Lambert emitter, 324
  - Lambert emitters, 56
  - Larrabee, 837
  - laser beam deflection, 515, 743
  - laser beam divergence, 113
  - laser diode, 110, 738
  - laser displays, 509
  - laser displays, near-eye displays, 733
  - laser induced breakdown, 652
  - laser projectors, 427, 509
  - laser sources, 107
  - laser transmission hologram, 276
  - lasers, 107
  - Laterna Magica, 7
  - LCD, 11, 410
  - LCD projector , 493
  - LCOS, 420
  - LCOS projector, 421
  - LED, 53, 464
  - left-circular polarization, 95
  - lens resolution, 148
  - lens shift, 486
  - lenses, 137
  - lenticular displays, 634, 636
  - lenticular lenses, 17
  - licker fusion threshold, 161
  - light field, 153, 295, 606, 609, 653
  - light field - hologram transform, 657
  - light field camera, 782
  - light field display, 609, 640
  - light field displays, 652
  - light field focus rendering, 669
  - light field image encoding, 691
  - light grid, 391
  - light guide, 383
  - light intensity, 709
  - light modulation, 118
  - light scattering, 119

## Index

---

- light sources, 338  
light transport, projector-camera systems, 561  
light valve, 481  
light valve displays, 4, 339  
light valve projector, 479  
light waves, 270  
lighting path, 481  
lighting rays, 481  
limelight, 7  
linear polarization, 620  
liquid crystal shutter glasses, 15  
liquid crystals, 11  
liquid crystals displays, 11  
liquid lens, 146  
Lissajous, 515  
luminance curve, 173  
luminescent displays, 331, 339  
luminous efficacy, 63  
luminous efficiency, 63  
macular degeneration, 817  
magic lantern, 7  
mask display, 795, 796  
mask display technologies, 803  
master hologram, 283  
matrix displays, 374  
Maxwell, 26  
McAdam ellipses, 176  
mechanical vignetting, 146  
MEMS, 434  
MEMS scanner, 734  
MEMS scanners, 512  
metal halide lamps, 487  
metal-oxide field effect transistor, 369  
micro display, 420  
micro displays, near-eye displays, 714  
micro electro mechanical displays, 434  
micro motors, 788  
micro projectors, 478  
micro projectors, future, 809  
micro raster scanners, 512  
micro-electro-mechanical systems, 512  
micropolarizers, 621  
microsaccades, 161  
MID, 398  
middle gray, 800

## Index

---

- Mie scattering, 119  
millimeter wave hologram, 695  
MLM, 436  
mobile projectors, 592  
modulation of light, 118  
moiré, 354  
molded interconnect device, 398  
monochromatic, 105  
monochromatic light, 105  
monocular field, 187  
Moore's law, 836  
MOSFET, 369  
motion dynamics, 200  
motion parallax, 197  
motion pictures, 202  
motion vectors, 183, 362  
moving liquid mirror, 436  
MPEG, 361  
multi color displays, 329  
multi exposure true-color holograms, 285  
multi-channel hologram, 289  
multi-focal lens, 746  
multi-layer coating, 385  
multi-pass rendering, 853  
multi-plane screen configurations, 627  
multi-sided screen configurations, 628  
multi-texture calculations, 836  
multi-view displays, 646  
multi-view encoding, 692  
multi-viewer stereo, 630  
multi-viewer support, autostereoscopic displays, 643  
multiplexed autostereoscopic display, 641  
multiplexing, 372  
natural vignetting, 146  
near field scanner, 510  
near-eye displays, display technologies, 714  
near-eye displays, future, 810  
negative disparity, 601  
nematic crystals, 410  
neural implant, 821  
Nipkow disk, 8, 9  
nixie tubes, 470

## *Index*

---

- noise, 212, 352 828  
noise figures, 352 optical aberration, 131  
noise reduction, 304, 357 optical compensation, 791  
non-locality, 77 optical distortion, 273  
NTSC, 310, 457 optical holography, 270  
numerical aperture, 144 optical imaging, 391  
Nyquist/Shannon theorem, 345 optical see-through, 719  
object beam, 210, 271 optical vignetting, 146  
object wavefront, 210 optics for near eye displays, 716  
object-space telecentric, 145 optimized anaglyphs, 618  
off-axis projection, 625 orthoscopic, 273  
OLED, 54, 465 orthoscopic image, 273  
OLED displays, future, 809 PAL, 310, 457  
OLED on CMOS, 468 PALC, 378  
OLED projector, 490 panel construction, 382  
OLED-on-CMOS, 783 Panum's fusion area, 191  
one chip eye tracker, 783 parabolic mirrors, 134  
Open Computing Language, 841 parallax barrier, 16  
OpenCL, 826, 841 parallax barrier displays, 634  
OpenCV, 868 parallax displays, 293, 634  
OpenGL, 826 parallax stereogram, 16  
OpenGL Shading Language, 838 particle metaphor, 78  
OpenGL, fixed function graphics pipeline, passive cross-talk reduction, 614

## *Index*

---

- passive matrix displays, 372  
passive stereo, 14  
passive stereo-channel separation, 613  
PDLC, 442, 501, 624  
perceived brightness, 61  
perceived contrast, 164  
percolation, 394  
Performance comparison (displays),  
    517  
permeability, 120  
permittivity, 120  
personal information displays, 718  
personal video displays, 717  
perspective distortion, stereoscopic  
    displays, 604  
phantom array effect, 162  
phase array, 767  
phase dispersed liquid crystal, 501  
phase dispersed liquid crystal screens,  
    624  
phase grating, 279  
phase hologram, 224, 225, 279  
phase information, 691  
phase shifting LCD, 423  
phosphenes, 822  
phosphorescence, 50  
phosphors, 50  
photoc field, 153  
photo luminescence, 50  
photo receptors, 159  
photoelectric effect, 36  
photometric emulsion, 270  
photometric units (table), 62  
photometry, 61  
photon energy, 36  
photopic vision, 61, 160  
phototropic glass, 805, 807  
piezo motors, 787, 788  
pincushion distortion, 866  
piston type MEMS display, 434  
pixel displacement mapping, 530  
pixel pitch, 635  
pixel warping, 866  
pixels, 1  
planar mirrors, 132  
planar wavefront, 101

## *Index*

---

- Planck, 34  
plane of incidence, 127  
plane parallel lense, 142  
plasma, 460  
plasma lamps, 49  
plastic lenses, 138  
plenoptic function, 152  
PLM, 427  
point source, 101  
point spread function, 583  
point spread functions, 568  
polarization, 90  
polarization filtering, 630  
polarization filters, 14  
polarization, stereo-channel separation, 620  
polarized reflection, 124  
polarizer, 91  
polarizer filter, 90  
polymer, 438  
polymer dispersed liquid crystal, 442  
power consumption, near-eye displays, 711  
primary colors, 172  
print media, 619  
printable displays, future, 810  
printed batteries, 811  
printed displays, 404  
printed electronics, 811  
prism, 122  
private screen, 632  
probability density function, 75  
probability waves, 78  
progressive frames, 364  
projection displays, 477  
projection lens, 481, 485  
projection screens, 500  
projective texture mapping, 527  
projective textures, 527  
projector lamps, 487  
projector optics, 480  
pseudo-color holograms, 285, 287  
pseudoscopic, 273, 646  
pseudoscopic image, 273  
pseudoscopic images, 621  
pseudoscopic impression, 636

Index

- PSF, 583

Pulfrich effect, 622

pulldown, 365

pulse length modulation, 427

pulse width modulation, 427, 738

pupil diameter, 710

pupil diameters, 166

pupil size, 798

purple colors, 175

PWM, 427, 738

quadric image transfer, 629

quantum computing, 79

quantum dot, 88

quantum effects, 67

quantum leap, 47

quantum physics, 36

quantum systems, 78

quantum tunneling composite, 394

quarter wave plate, 97

qubit, 80

rack focus effect, 195

radiation thermometer, 37

radiometric compensation, 536

radiometric compensation, projector-camera systems, 536

radiometric units (table), 59

radiometry, 55

rainbow effect, 162

rainbow holograms, 282

random hole display, 636

raster displays, 301

rasterization, 831

Rayleigh scattering, 119

Reactive Monomer Liquid Crystal Mix, 443

real image, 130, 272

real object, 130

rear projection , 502

reference beam, 210, 271

reference wavefront, 210

reflection hologram, 227, 229

Reflection holograms, 277

reflective optics, 131

refraction, 120

refractive optics, 136

refresh rate, 306

## Index

---

- resistive panels, 393  
resistive touch panels, 394  
resizing, 356  
resolution, 238, 301  
resolution triangle, 340  
retina, 159  
retina receptors, 181  
retina tracker, 774, 780  
retina tracking, 780  
retina, receptor density, 183  
retinal disparity, 186, 190  
retinal display, 733  
retinal image processing, 183  
retinal implant, 817  
retinal prosthesis, 817  
retinal rivalry, 617  
retinitis pigmentosa, 817  
retro-reflective materials, 500  
retro-reflective screens, 500, 623  
rhodopsin, 163  
right-circular polarization, 95  
RMLCM, 443  
rods, 159  
Roentgen, 43  
rollout displays, 398  
rotating HOE, 660  
saccades, 160, 708  
sampling theorem, 344  
scanning backlights, 416  
scatter compensation, 855  
scattering, 119  
scattering, , projector-camera systems, 556  
Scheimpflug correction, 486  
Schrödinger equation, 71  
scotopic vision, 61, 160  
screen-tearing, 828  
second reflection theorem, 128  
second refraction theorem, 127  
SED, 458  
self interference, 676  
self-adaptation, 729  
self-luminous display, 4  
semi-immersive, 628  
semiconductors, 366  
sensitivity curves, 169

## *Index*

---

- shader units, 836  
shaders, 827, 833  
shadow mask, 451  
shape measurement, 273  
shared screen space, 632  
signal transmission, 342  
silicon on polymer, 399  
silk-screen, 405  
silver screen, 501  
single exposure true-color holograms,  
    285  
single-beam holograms, 277  
slanted sheet technique, 641  
SLM, 4, 238  
Snell, 120  
Snell's first reflection theorem, 128  
Snell's first refraction theorem, 127  
Snell's law of refraction, 123  
Snell's second reflection theorem, 128  
Snell's second refraction theorem, 127  
sol-gel coating, 387  
SOLED, 468  
solid angle, 56, 58  
spatial coherence, 242  
spatial light modulator, 4, 238, 258  
spatial stereo-channel separation, 631  
spatial stereoscopic displays, 611  
speckle pattern, 244  
speckles, 509  
spectral locus, 175  
spectral response, 253  
spectrum, 27  
specular reflection, , projector-camera  
    systems, 560  
Speed, 325  
spherical mirror, 133  
spherical wavefront, 101  
static two-view displays, 646  
static volume displays, 651  
statistical mechanics, 34, 86  
steps, 340  
steradian, 58  
stereo fusion, 602  
stereo pair, 593  
stereo picture recording, 201  
stereo-channel separation, 612

## *Index*

---

- stereoacuity, 191  
stereographs, 13  
stereopsis, 186  
stereoscope, 13  
stereoscopic displays, 611  
stigmatic pair, 129  
stigmatism, 130  
stimulated emission, 107  
stretchable electronics, 398  
subretinal implants, 818  
subtractive color mixing, 332  
super twisted nematic, 412  
super-resolution, projector-camera systems, 573  
surface capacitance, 395  
surface emitters, 322  
surface shape, 273  
surface wave touch screen, 390  
surface-conduction electron-emitter displays, 458  
surround screen, 628  
swept volume displays, 648  
switched Bragg hologram, 443  
switched HOE, 443  
synchronization, analog TV, 10  
synchrotron radiation, 45  
tactile feedback, 397  
tactile feedback: touch panels, 397  
tearing, 828  
telecentric, 145  
telecentric lens, 145  
telecentric stop, 145  
temporal coding, 534  
temporal resolution, 306  
temporal response, 161  
Tesla, 837  
test pictures, 340  
texture combiners, 836  
TFD, 377  
TFT, 377  
thermal camera, 37  
thermal radiation, 30  
thin film diod, 377  
thin film interference, 105  
thin film transistor, 377  
three dimensional filtering, 358

## *Index*

---

- threshold map, 553  
throw ratio, 486  
time sequential polarization, 622  
time-sequential shuttering, 630  
TMOS, 417  
tonal resolution, 319, 351  
total internal reflection, 128  
touch screens, 388  
tracked two-view displays, 646  
tracking, 662  
transfer function, 352  
transfer hologram, 283  
transflective displays, 445  
transformation pipeline, 830  
transformations, 830  
transmission hologram, 229, 276  
transparent circuits, 400  
transparent driver circuits, 414  
transparent electrodes, 371  
transparent OLED, 468  
transparent semiconductors, 371  
transparent transistors, 371  
trichromatic theory of color vision, 168  
true anaglyphs, 615  
true-color holograms, 285  
tunneling, 87  
TV displays, performance, 517  
TV formats, 310  
TV standards, 310  
TV transmission chain, analog, 10  
twisted nematic, 411  
two-beam hologram, 277  
two-sided workbenches, 628  
ubiquitous projection, future, 810  
UHP lamps, 50, 487  
Ulbricht sphere, 58  
ultra high performance lamps, 487  
uncertainty principle, 79  
uncertainty relation, 79  
unified shaders, 836  
Uniform Color Space, 176  
unsharp mask display, 796  
Utah Electrode Array (UEA), 824  
vacuum fluorescence, 469  
Vagus nerve stimulation, 822  
vapor diffusion, 65

## *Index*

---

- varifocal lens, 146  
varifocal mirror, 136  
varifocal mirror, w. NED, 745  
vector displays, 302  
vector laser scanners, 511  
vergence, 187  
vertex shader, 834  
vertex shading, 853  
vestigial sideband transmission, VST,  
    10  
video retargeting, 357  
video see-through, 718, 792  
video upsampling, 357  
viewer orientation, stereoscopic dis-  
    plays, 598  
viewer tracking, 662  
viewing cone, 322, 324  
viewing distance, stereoscopic dis-  
    plays, 599  
viewing zones, 633  
vignetting, 146  
virtual devices, 705  
virtual HOE, 258  
virtual image, 130, 272  
virtual objects, 705  
Virtual Reality, 15  
virtual reality, 717  
virtual retina display, 734  
virtual retinal display, 733  
visible light, 27  
visual cortex, 822  
visual field, 187  
visual flow eye tracker, 776  
visual purple, 163  
volume grating, 228  
volume hologram, 228  
volume holograms, 216, 278  
volumetric displays, 647  
volumetric emitter, 56, 322  
VR, 15, 717  
VST-HMD, 792  
walk-through, 624  
wallpaper displays, 398  
wave optics , 101  
wave plate, 97  
wavefront, 101

## Index

---

wavefunction, 72  
wavelength multiplexing, 619  
Weber-Fechner law, 164  
wedge display, 503  
white balance, 43  
white point, 175  
white-light reflection hologram, 280  
wide color gamut displays, 328  
Wien, 34  
Wien's displacement law, 34  
wobulation, 574  
working *f*-number, 142  
  
X-rays, 43  
xenon arc lamps, 487  
  
Young-Helmholtz three-component theory, 168  
YUV-formats, 333  
  
Zener diodes, 368  
zero mode, 220, 272  
zero order, 272  
zone plate, 216, 680